AUTHOR INDEX

Abolin, C.R. *See* Kleintop, B.L.
Adams, J. (letter), 473
Adams, J. *See* Ann, Q.; Antoine, M.
Alajajian, S.H. *See* Boumsellek, S.
Alarcon, R.D. *See* Furner, R.L.
Allen, M.H., Vestal, M.L. Design and Performance of a Novel Electrospray Interface, 18
Alvarez, E. *See* Eichmann, E.S.
Anacleto, J.F. *See* Pleasance, S.
Ann, Q., Adams, J. Structure Determination of Ceramides and Neutral Glycosphingolipids by Collisional Activation of $[M + Li]^+$ Ions, 260
Antoine, M., Adams, J. Implication of the Charge Site in "Charge-Remote" Fragmentations, 776
Arbogast, B. *See* Hogeland, K.E., Jr.
Ashley, D.L. *See* Bonin, M.A.

Bailey, M.R. *See* Pleasance, S.
Ballard, K.D., Gaskell, S.J. Origin of the Tailing Signal on the Low-Energy Side of the Main Beam in Mass-Analyzed Ion Kinetic Energy Spectra, 644
Barshick, C.M., Eyler, J.R. A Glow Discharge Ion Source with Fourier Transform Ion Cyclotron Resonance Mass Spectrometric Detection, 122
Basic, C., Eyler, J.R., Yost, R.A. Probing Trapped Ion Energies Via Ion-Molecule Reaction Kinetics: Quadrupole Ion Trap Mass Spectrometry, 716
Behymer, T.D. *See* Ho, J.S.
Bellar, T.A. *See* Ho, J.S.
Berman, S.S. *See* Cheng, Z.L.; Guevremont, R.
Betowski, L.D., Pace, C.M., Roby, M.R. Evidence for Thermal Decomposition Contributions to the Mass Spectra of Chlorinated Phenoxyacid Herbicides Obtained by Particle Beam Liquid Chromatography Mass Sepectrometry, 823
Bonin, M.A., Ashley, D.L., Cardinali, F.L., McCraw, J.M., Patterson, D.G., Jr. Importance of Enhanced Mass Resolution in Removing Interferences When Measuring Volatile Organic Compounds in Human Blood By Using Purge-and-Trap Gas Chromatography/Mass Spectrometry, 831
Bordas-Nagy, J., Despeyroux, D., Jennings, K.R. Comparison of Helium and Argon as Collision Gases in the High Energy Collision-Induced Decomposition of MH^+ Ions of Peptides, 502
Boumsellek, S., Alajajian, S.H., Chutjian, A. Negative-Ion Formation in the Explosives RDX, PETN, and TNT By Using the Reversal Electron Attachment Detection Technique, 243
Breimer, M.E. *See* Curtis, J.M.
Brodbelt, J. *See* Donovan, T.
Brodbelt, J.S. *See* Eichmann, E.S.; Liou, C.-C.
Bruce, J.E., Eyler, J. R. Probing Trapped Ion Energies Via Ion-Molecule Reaction Kinetics: Fourier Transform Ion Cyclotron Resonance Mass Spectrometry, 727
Bryant, M.S., Lay, J.O., Jr., Chiarelli, M.P. Development of Fast Atom Bombardment Mass Spectral Methods for the Identification of Carcinogen-Nucleoside Adducts, 360
Budde, W.L. *See* Ho, J.S.
Burlet, O., Yang, C.-Y., Gaskell, S.J. Influence of Cysteine to Cysteic Acid Oxidation on the Collision-Activated Decomposition of Protonated Peptides: Evidence for Intraionic Interactions, 337
Burlingame, A.L. *See* Hines, W.M.
Burn, J.L.E. *See* Reynolds, J.D.

Callahan, J.H. *See* Wysocki, V.H.
Cao, J.R., George, M., Holmes, J.L. Fragmentation of 1-and 3-Methoxypropene Ions: Another Part of the $C_4H_8O^{+\cdot}$ Potential Energy Surface, 99
Caprioli, R.M. *See* Suter, M.J.-F.
Cardinali, F.L. *See* Bonin, M.A.
Castleman, A.W., Jr. *See* Guo, B.C.
Castoro, J.A., Rucker, P.V., Wilkins, C.L. Energy Deposition in Iron Pentacarbonyl Ions Undergoing Surface-Induced Dissociation in a Fourier Transform Mass Spectrometer, 445
Chang, Y.-S., Watson, J.T. Charge-Remote Fragmentation during FAB-CAD-B/E Linked-Scan Mass Spectrometry of Aminoethyl-Triphenylphosphonium Derivatives of Fatty Acids, 769
Chen, L.-Z., Miller, J.M. Formation and Fragmentation of Gas-Phase Ion-Molecule Complexes of Transition-Metal Ions with Organic Molecules Containing Two Functional Groups, 451
Cheng, Z.L., Siu, K.W.M., Guevremont, R., Berman, S.S. Electrospray Mass Spectrometry: A Study on Some Aqueous Solutions of Metal Salts, 281
Chiarelli, M.P. *See* Bryant, M.S.
Chutjian, A. *See* Boumsellek, S.
Cody, R.B. *See* Tyler, A.N.
Colby, B.N. Spectral Deconvolution for Overlapping GC/MS Components, 558
Conboy, J.J., Henion, J.D. The Determination of Glycopeptides by Liquid Chromatography/Mass Spectrometry with Collision-induced Dissociation, 804
Cook, K.D. *See* Reynolds, J.D.; Tuinman, A.A.
Cooks, R.G. *See* Shay, B.J.
Costello, C.E. *See* Juhasz, P.
Curtis, J.M., Derrick, P.J., Holgersson, J., Samuelsson, B.E., Breimer, M.E. Electron Ionization-Tandem Mass Spectrometry of Glycosphingolipids. I: The Identification of Compound-specific Sequence Ions on the Collision-Induced Dissociation Spectra of the Immonium Ions of Two Isomeric Hexaglycosylceramides, 353

Daff, M. *See* Lopez Marin, L.M.
Deinzer, M.L. *See* Hogeland, K.E., Jr.
Derrick, P.J. *See* Curtis, J.M.
Despeyroux, D. *See* Bordas-Nagy, J.
Diedrich, D.L. *See* Hart, K.J.
Ding, J-M. *See* Wysocki, V.H.
Dolnikowski, G.G. Isomer Differentiation by Charge Inversion Tandem Mass Spectrometry: An Investigation into the Structure of the Ionic Products from an S_n(ANRORC) Reaction, 467

©1992 American Society for Mass Spectrometry
1044-0305/92/$5.00

Donovan, T., Brodbelt, J. Characterization of the Dissociation Behavior of Gas-Phase Protonated and Methylated Lactones, 47
Donovan, T., Liou, C.-C., Brodbelt, J. Methylene Substitution Reactions in a Quadrupole Ion Trap: Selectivity of Ethylene, Ethylene Oxide, and Dimethyl Ether Reactive Ions, 39
Douglas, D.J., French, J.B. Collisional Focusing Effects in Radio Frequency Quadrupoles, 398
Duhr, A. *See* Li, G.
Dunbar, R.C. *See* Uechi, G.T.

Eberlin, M.N. *See* Shay, B.J.
Eichmann, E. S., Alvarez, E., Brodbelt, J.S. Effects of Functional Group Interactions on the Bimolecular and Dissociation Reactions of Diols, 535
Enke, C.G. *See* Hart, K.J.
Eyler, J.R. *See* Barshick, C.M.; Basic, C.; Bruce, J.E.

Falick, A.M. *See* Hines, W.M.
Fenselau, C. *See* Murphy, C.M.; Wu, Z.
Ferguson, E.E. A Personal History of the Early Development of the Flowing Afterglow Technique for Ion-Molecule Reaction Studies, 479
Filges, U. *See* Thielking, G.
French, J.B. *See* Douglas, D.J.
Frey, M.H. *See* Tyler, A.N.
Fujiwara, M., Yamauchi, T., Miura, K., Inoue, M. Effect of Frequency Sweep Direction on Motion of Excited Ions in Fourier Transform Ion Cyclotron Resonance Cells, 847
Furner, R.L., Alarcon, R.D., Irving, T. The Quadrupole-Based Mass Spectrometric Evaluation of Isotope Ratios of Carbon Dioxide in Expired Air from Mice and Men Following the Administration of ^{13}C-Methyl Methionine, 742

Gage, D.A. *See* Huang, Z.-H.
Ganguli, B. *See* Martinez, R.I.
Gaskell, S.J. *See* Ballard, K.D.; Burlet, O.
George, M. *See* Cao, J.R.
Gibson, B.W. *See* Hines, W.M.
Glish, G.L. *See* Hart, K.J.; McLuckey, S.A.; Van Berkel, G.J.
Grayson, M.A. Professor Al Nier and His Influence on Mass Spectrometry, 685
Gross, M.L. The Growth of the *Journal of the American Society for Mass Spectrometry* (editorial), 267
Gross, M.L. *Methods and Mechanisms for Producing Ions from Large Molecules*, by Standing, K.G., Ens, W. (book review), 780
Gross, M.L. *See* Holliman, C.L.; Huang, L.Q.; Rempel, D.L.
Grützmacher, H.-Fr. *See* Thielking, G.
Gu, M. *See* Turecek, F.
Guevremont, R., Siu, K.W.M., Le Blanc, J.C.Y., Berman, S.S. Are the Electrospray Mass Spectra of Proteins Related to Their Aqueous Solution Chemistry?, 216
Guevremont, R. *See* Cheng, Z.L.
Guo, B.C., Castleman, A.W., Jr. Evidence for the Polymerization of Ethylene Catalyzed by Ti^+ in the Gas Phase, 464

Hargiss, L.O. *See* Kalinoski, H.T.
Harrison, A.G. *See* Ni, J.; Szulejko, J.E.
Hart, K.J., McLuckey, S.A., Glish, G.L. Evidence of Isomerization during Ion Isolation on the Quadrupole Ion Trap, 680
Hart, K.J., McLuckey, S.A., Glish, G.L. Reaction of Analyte Ions with Neutral Chemical Ionization Gas, 549
Hart, K.J., Palmer, P.T., Diedrich, D.L., Enke, C.G. Generation of Substructure Identification Rules Using Feature-Combinations from Tandem Mass Spectra, 159
Hart, K.J., Wade, A.P., Nourse, B.D., Enke, C.G. Evaluation of Automatically Generated Substructure Identification Rules from Tandem Mass Spectra, 169
Henion, J.D. *See* Conboy, J.J.
Hieftje, G.M. *See* Ross, B.S.
Hines, W.M., Falick, A.M., Burlingame, A.L., Gibson, B.W. Pattern-Based Algorithm for Peptide Sequencing from Tandem High Energy Collision-Induced Dissociation Mass Spectra, 326
Ho, J.S., Behymer, T.D., Budde, W.L, Bellar, T.A. Mass Transport and Calibration in Liquid Chromatography Particle Beam Mass Spectrometry, 662
Hofstadler, S.A., Laude, D.A., Jr. Trapping and Detection of Ions Generated in a High Magnetic Field Electrospray Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometer, 615
Hogan, J.D., Laude, D.A., Jr. Potassium Halide Adducts as Reagent Ions in Infrared Laser Desorption/Ionization Fourier Transform Ion Cyclotron Resonance Mass Spectrometry, 301
Hogeland, K.E., Jr., Arbogast, B., Deinzer, M.L. Liquid Secondary Ion Mass Spectrometry Analysis of Permethylated, *n*-Hexylamine Derivatized Oligosaccharides. Application to Baculovirus Expressed Mouse Interleukin-3, 345
Holgersson, J. *See* Curtis, J.M.
Holliman, C.L., Rempel, D.L., Gross, M.L. A Mechanism for Poor High Mass Performance on Fourier Transform Mass Spectrometry, 460
Holmes, J.L. *See* Cao, J.R.
Hop, C.E.C.A. *See* Szulejko, J.E.
Huang, L.Q., Paiva, A., Tong, H., Monson, S.J., Gross, M.L. Application of Gas Chromatography High-Resolution Mass Spectrometry to the Determination of Trace Monobromopolychlorodibenzo-*p*-Dioxins in Environmental Samples, 248
Huang, Z.-H., Gage, D.A., Sweeley, C.C. Characterization of Diacylglycerylphosphocholine Molecular Species by FAB-CAD-MS/MS: A General Method Not Sensitive to the Nature of the Fatty Acyl Groups, 71
Hudson, C.E. *See* Traeger, J.C.
Hunt, D.F. *See* Moseley, M.A.

Ingemann, S. *See* Zappey, H.W.
Inoue, M. *See* Fujiwara, M.
Irving, T. *See* Furner, R.L.

Jackim, E. *See* Wolf, S.M.
Jennings, K.R. *Mass Spectrometry in the Biological Sciences: A Tutorial* Nato Advanced Science Institutes Series C: Mathematical and Physical Sciences 353, edited by Gross, M.L. (book review), 867; *See also* Bordas-Nagy, J.
Jiang, L., Moini, M. Ultramark 1621 as a Reference Compound for Positive and Negative Ion Fast-Atom Bombardment High-Resolution Mass Spectrometry, 842
Jones, J.L. *See* McCormack, A.L.; Wysocki, V.H.
Jorgenson, J.W. *See* Moseley, M.A.
Juhasz, P., Costello, C.E. Matrix-Assisted Laser Depolarization Time-of-Flight Mass Spectrometry of Underivatized and Permethylated Gangliosides, 785

Kalinoski, H.T., Hargiss, L.O. Collision-Induced Dissociation Mass Spectrometry of Nonionic Surfactants Following Direct Supercritical Fluid Injection, 150
Kass, S.R. *See* Rabasco, J.J.
Kebarle, P. Ion–Molecule Equilibria, How and Why, 1
King, F.L. *See* Wysocki, V.H.

Kleintop, B.L., Yost, R.A., Abolin, C.R. Alternating RF/DC Isolations for Quantitation with Coeluting Internal Standards in Gas Chromatography/Ion Trap Mass Spectrometry, 85
Kono, M. *See* Parker, C.E.

Lamb, D.J., Wang, H.M., Mallis, L.M., Linhardt, R.J. Negative Ion Fast-Atom Bombardment Tandem Mass Spectrometry To Determine Sulfate and Linkage Position In Glycosaminoglycan Derived Disaccharides, 797
Lanélle, M.A. *See* Lopez Marin, L.M.
Lattimer, R.P. Tandem Mass Spectometry of Lithium-Attachment Ions from Polyglycols, 225
Laude, D.A., Jr. *See* Hofstadler, S.A.; Hogan, J.D.
Lawrence, D.L. The Application of Normal Phase Liquid Chromatography/Mass Spectrometry By Using Coaxial Continuous Flow Fast Atom Bombardment, 575
Lay, J.O., Jr. *See* Bryant, M.S.
Le Blanc, J.C.Y. *See* Guevremont, R.
Ledford, E.B., Jr. *See* Yin, W.W.
Lee, T.D. *See* Mahoney, J.F.
Li, G., Duhr, A., Wollnik, H. A New Tandem Mass Spectrometer for the Study of Molecular Dissociations, 487
Light-Wahl, K.J. *See* Winger, B.E.
Linhardt, R.J. *See* Lamb, D.J.
Liou, C.-C., Brodbelt, J.S. Determination of Orders of Relative Alkali Metal Ion Affinities of Crown Ethers and Acyclic Analogs by the Kinetic Method, 543
Liou, C.-C. *See* Donovan, T.
Lopez Marin, L.M., Prom, D., Lanélle, M.A., Daff, M., Prom, J.C. Fast Atom Bombardment Mass Spectrometry of Mycobacterial Glycopeptidolipid Antigens: Structural Characterization by Charge Remote Fragmentation, 656

Macfarlane, R.D. *See* Wolf, B.
Mahoney, J.F., Perel, J., Lee, T.D., Martino, P.A., Williams, P. Shock Wave Model for Sputtering Biomolecules Using Massive Cluster Impacts, 311
Mallis, L.M. *See* Lamb, D.J.
Mamer, O.A. (letter), 471
Markey, S.P. *Methods in Enzymology, Volume 193: Mass Spectrometry*, edited by McCloskey, J.A. (book review), 779
Marshall, A.G. *See* Yin, W.W.
Martinez, R.I., Ganguli, B. Kinetics and Mechanism of the Collision-Activated Dissociation of the Acetone Cation, 427
Martino, P.A. *See* Mahoney, J.F.
Masuda, A. *See* Qi-Lu, M.
McAdoo, D.J. *See* Traeger, J.C.
McClure, T.D., Schram, K.H., Reimer, M.L.J. The Mass Spectrometry of Taxol, 672
McCormack, A.L., Jones, J.L., Wysocki, V.H. Surface-Induced Dissociation of Multiply Protonated Peptides, 859
McCraw, J.M. *See* Bonin, M.A.
McElvany, S.W., Ross, M.M. Mass Spectrometry and Fullerenes, 268
McLafferty, F.W. *See* Zhang, M-Y.
McLuckey, S.A. Principles of Collisional Activation in Analytical Mass Spectrometry, 599
McLuckey, S.A., Van Berkel, G.J., Glish, G.L. Tandem Mass Spectrometry of Small, Multiply Charged Oligonucleotides, 60
McLuckey, S.A. *See* Hart, K.J.; Van Berkel, G.J.
McMahon, T.B. *See* Szulejko, J.E.
Miller, J.M. *See* Chen, L-Z.
Miura, K. *See* Fujiwara, M.
Moini, M. Isomerization of Linear $C_3H_3^+$ in Its Reaction with Acetylene, and Collisional Stabilization of the $[C_5H_5^+]$ Collision Complex in a Quadrupole Ion Trap Mass Spectrometer, 631; *See also* Jiang, L.
Monson, S.J. *See* Huang, L.Q.
Moseley, M.A., Jorgenson, J.W., Shabanowitz, J., Hunt, D.F., Tomer, K.B. Optimization of Capillary Zone Electrophoresis/Electrospray Ionization Parameters for the Mass Spectrometry and Tandem Mass Spectrometry Analysis of Peptides, 289
Murphy, C.M., Fenselau, C. Fragmentation Characteristic of Glutathione Conjugates Activated by High-Energy Collisions, 815
Murphy, R.C. *See* Shirley, M.A.
Murugaverl, B. *See* Noguerola, A.S.
Musselman, B.D. *See* Tyler, A.N.

Ni, J., Harrison A.G. Reactive Collisions in Quadrupole Cells. 2. H/D Exchange Reactions of Emolate Ions with CH_3OD and C_2H_5OD, 853
Nibbering, N.M.M. *See* Zappey, H.W.
Noguerola, A.S., Murugaverl, B., Voorhees, K.J. An Investigation of Dipeptides Containing Polar and Nonpolar Side Groups by Curie-Point Pyrolysis Tandem Mass Spectrometry, 750
North, D.H. *See* Pleasance, S.
Norwood, C. *See* Wolf, S.M.
Nourse, B.D. *See* Hart, K.J.

O'Hara, K. *See* Parker, C.E.
Ogorzalek Loo, R.R., Udseth, H.R., Smith, R.D. A New Approach for the Study of Gas-Phase Ion-Ion Reactions Using Electrospray Ionization, 695

Pace, C.M. *See* Betowski, L.D.
Paiva, A. *See* Huang, L.Q.
Palmer, P.T. *See* Hart, K.J.
Parker, C.E., Perkins, J.R., Tomer, K.B., Shida, Y., O'Hara, K., Kono, M. Application of Nanoscale Packed Capillary Liquid Chromatography (75 m id) and Capillary Zone Electrophoresis/Electrospray Ionization Mass Spectrometry to the Analysis of Macrolide Antibiotics, 563
Parker, C.E. *See* Perkins, J.R.
Patterson, D.G., Jr. *See* Bonin, M.A.
Perel, J. *See* Mahoney, J.F.
Perkins, J.R., Parker, C.E., Tomer, K.B. Nanoscale Separations Combined with Electrospray Ionization Mass Spectrometry: Sulfonamide Determination, 139; *See also* Parker, C.E.
Pleasance, S., Anacleto, J.F., Bailey, M.R., North, D.H. An Evaluation of Atmospheric Pressure Ionization Techniques for the Analysis of *N*-Methyl Carbamate Pesticides by Liquid Chromatography Mass Spectrometry, 378
Proefke, M.L., Rinehart, K.L. Analysis of an Egyptian Mummy Resin by Mass Spectrometry, 582
Prom, D. *See* Lopez Marin, L.M.
Prom, J.C. *See* Lopez Marin, L.M.

Qi-Lu, Masuda, A. High Accuracy Measurement of Isotope Ratios of Molybdenum in Some Terrestrial Molybdenites, 10

Rabasco, J.J., Kass, S.R. Reactions of Strong Bases with Vinyl Fluoride Formation and Characterization of 1-Fluorovinyl Anion and the Fluoride-Acetylene Hydrogen-bonded Complex, 91
Reimer, M.L.J. *See* McClure, T.D.
Reinhold, B.B., Reinhold, V.N. Electrospray Ionization Mass

Spectrometry: Deconvolution by an Entropy-Based Algorithm, 207
Reinhold, V.N. *See* Reinhold, B.B.
Rempel, D.L., Gross, M.L. High Pressure Trapping in Fourier Transform Mass Spectrometry: A Radiofrequency-Only-Mode Event, 590
Rempel, D.L. *See* Holliman, C.L.
Reynolds, J.D., Cook, K.D., Burn, J.L.E., Woods, C. *m*-Nitrobenzyl Alcohol Electrochemistry in Fast Atom Bombardment Mass Spectrometry, 113
Rinehart, K.L. *See* Proefke, M.L.
Roby, M.R. *See* Betowski, L.D.
Romo, L.K. *See* Tyler, A.N.
Ross, B.S., Hieftje, G.M. Selection of Solvent Load and First-Stage Pressure to Reduce Interference Effects in Inductively Coupled Plasma-Mass Spectrometry, 128
Ross, M.M. *See* McElvany, S.W.
Rucker, P.V. *See* Castoro, J.A.

Samuelsson, B.E. *See* Curtis, J.M.
Schram, K.H. *See* McClure, T.D.
Shabanowitz, J. *See* Moseley, M.A.
Shaffer, S.A. *See* Turecek, F.
Shay, B.J., Eberlin, M.N., Cooks, R.G., Wesdemiotis, C. Ion-Molecule Reactions and Collision-Activated Dissociation of $C_4H_4^{+\cdot}$ Isomers: A Case Study in the Use of the MS^3 Capabilities of a Pentaquadrupole Mass Spectrometer, 518
Shida, Y. *See* Parker, C.E.
Shirley, M.A., Murphy, R.C. Novel 3-Hydroxylated Leukotriene B_4 Metabolites from Ethanol-Treated Rat Hepatocytes, 762
Shoemaker, J.D., Stein, S.E. (letter), 472
Simms, J.R. *See* Strife, R.J.
Siu, K.W.M. *See* Cheng, Z.L.; Guevremont, R.
Smith, R.D. *See* Ogorzalek Loo, R.R.; Winger, B.E.
Smithwick, R.W. III. Theoretical Calculations of Relative Ion Yields for Glow Discharge Mass Spectrometry, 79
Stein, S.E. *See* Shoemaker, J.D.
Stone, J.A. *See* Szulejko, J.E.
Strife, R.J., Simms, J.R. Quantitative Analysis of Crude Plasma Extracts by Ion Trap Tandem Mass Spectrometry, 372
Suter, M.J.-F., Caprioli, R.M. An Integral Probe for Capillary Zone Electrophoresis/Continuous-Flow Fast Atom Bombardment Mass Spectrometry, 198
Sweeley, C.C. *See* Huang, Z.-H.
Szulejko, J.E., Hop, C.E.C.A., McMahon, T.B., Harrison, A.G., Young, A.B., Stone, J.A. A Compact High Pressure Ion Source for High and Low Energy Collision-Induced Dissociation Studies of Cluster Ions on a VG Analytical ZAB-2FQ, 33

Tamura, J. *See* Tyler, A.N.
Thielking, G., Filges, U., Grützmacher, H.-Fr. Remote Fragmentations of Protonated Aromatic Carbonyl Compounds Via Internal Reactions in Intermediary Ion-Neutral Complexes, 417
Tomer, K.B. *See* Perkins, J.R.; Moseley, M.A.; Parker, C.E.
Tong, H. *See* Huang, L.Q.
Traeger, J.C., Hudson C.E., McAdoo, D.J. Isomeric Ion-Neutral Complexes Generated from Ionized 2-Methylpropanol and *n*-Butanol: the Effect of the Polarity of the Neutral on Complex-Mediated Reactions, 409
Traeger, J.C., Hudson, C.E., McAdoo, D.J. Formation of the 3-Pentanone Ion from Ionized Propyl Propanoate Through Ion-Neutral Complexes, 183
Tuinman, A.A., Cook, K.D. Fast Atom Bombardment-Induced Condensation of Glycerol with Ammonium Surfactants. I: Regioselectivity of the Adduct Formation, 318
Turecek, F., Gu, M., Shaffer, S.A. Novel Tandem Quadrupole-Acceleration-Deceleration Mass Spectrometer for Neutralization-Reionization Studies, 493
Tyler, A.N., Romo, L.K., Frey, M.H., Musselman, B.D., Tamura, J., Cody, R.B. Improved Detection Limits for Fast Atom Bombardment Mass Spectrometry: A Study of Time Dependent Desorption Using a Model Pulsed Bombardment Ionization Method, 637

Udseth, H.R. *See* Ogorzalek Loo, R.R.
Uechi, G.T., Dunbar, R.C. Space Charge Effects on Relative Peak Heights in Fourier Transform-Ion Cyclotron Resonance Spectra, 734

Van Berkel, G.J., McLuckey, S.A., Glish, G.L. Unimolecular and Collision-Induced Reactions of Doubly Charged Porphyrins, 235
Van Berkel, G.J. *See* McLuckey, S.A.
van Breemen, R.B. *Continuous-Flow Fast Atom Bombardment Mass Spectrometry*, edited by Caprioli, R.M. (book review), 867
Vestal M.L. *See* Allen, M.H.
Voorhees, K.J. *See* Noguerola, A.S.
Vouros, P. *See* Wolf, S.M.

Wade, A.P. *See* Hart, K.J.
Wang, H.M. *See* Lamb, D.J.
Wang, M. *See* Yin, W.W.
Watson, J.T. *See* Chang, Y-S.
Wesdemiotis, C. *See* Shay, B.J.
Wilkins, C.L. *See* Castoro, J.A.
Williams, P. *See* Mahoney, J.F.
Winger, B.E., Light-Wahl, K.J., Smith, R.D. Gas-Phase Proton Transfer Reactions Involving Multiply Charged Cytochrome *c* Ions and Water under Thermal Conditions, 624
Wolf, B., Macfarlane, R.D. A Pulsed Ion Deflection System for Background Reduction in ^{252}Cf-Plasma Desorption Mass Spectrometry, 706
Wolf, S.M., Vouros, P., Norwood, C., Jackim, E. Identification of Deoxynucleoside–Polyaromatic Hydrocarbon Adducts by Capillary Zone Electrophoresis–Continuous Flow-Fast Atom Bombardment Mass Spectrometry, 757
Wollnik, H. *See* Li, G.
Woods, C. *See* Reynolds, J.D.
Wu, Z., Fenselau, C. Proton Affinities of Polyglycines Assessed By Using the Kinetic Method, 863
Wysocki, V.H., Ding, J.-M., Jones, J.L., Callahan, J.H., King, F.L. Surface-Induced Dissociation in Tandem Quadrupole Mass Spectrometers: A Comparison of Three Designs, 27
Wysocki, V.H. *See* McCormack, A.L.

Yamauchi, T. *See* Fujiwara, M.
Yang, C.-Y. *See* Burlet, O.
Yin, W.W., Wang, M., Marshall, A.G., Ledford, E.B., Jr. Experimental Evaluation of a Hyperbolic Ion Trap for Fourier Transform Ion Cyclotron Resonance Mass Spectrometry, 188
Yost, R.A. *See* Basic, C.; Kleintop, B.L.
Young, A.B. *See* Szulejko, J.E.

Zappey, H.W., Ingemann, S., Nibbering, N.M.M. Gas-Phase Ion-Molecule Reactions of the CH_3O^+ Cation, 515
Zhang, M.-Y., McLafferty, F.W. Organic Neutralization Agents for Neutralization-Reionization Mass Spectrometry, 108

Acceleration-deceleration mass spectrometer, tandem quadrupole, Novel, for neutralization-reionization studies, 493
Acetone cation, collision-activated dissociation of, Kinetics and mechanism of, 427
Acetylcholine, Isomerization of linear $C_3H_3^+$ in its reaction with, in a quadrupole ion trap mass spectrometer, 631
Acyclic analogs, orders of relative alkali metal ion affinities of, Determination of, by the kinetic method, 543
Adduct formation, regioselectivity of. I: Fast atom bombardment-induced condensation of glycerol with ammonium surfactants, 318
Afterglow technique, flowing, for ion-molecule reaction studies, early development of, A personal history of, 479
Alkali metal ion affinities, relative, of crown ethers and acyclic analogs, orders of, Determination of, by the kinetic method, 543
Alternating RF/DC isolations for quantitation with coeluting internal standards in gas chromatography/ion trap mass spectrometry, 85
Aminoethyl-triphenylphosphonium derivatives of fatty acids, FAB-CAD-B/E linked-scan mass spectrometry of, Charge-remote fragmentation during, 769
Ammonium surfactants, Fast atom bombardment-induced condensation of glycerol with. I: regioselectivity of the adduct formation, 318
Analysis of an Egyptian mummy resin by mass spectrometry, 582
Analyte ions, Reaction of, with neutral chemical ionization gas, 549
Analytical mass spectrometry, Principles of collisional activation in, 599
ANRORC reaction, ionic products from, structure of, investigation into: Isomer differentiation by charge inversion tandem mass spectrometry, 467
Antibiotics, macrolide, analysis of, Application of nanoscale packed capillary liquid chromatography (75 m id) and capillary zone electrophoresis/electrospray ionization mass spectrometry to, 563
Antigens, mycobacterial glycopeptidolipid, Fast atom bombardment mass spectrometry of: structural characterization by charge remote fragmentation, 656
Application of nanoscale packed capillary liquid chromatography (75 m id) and capillary zone electrophoresis/electrospray ionization mass spectrometry to the analysis of marcolide antibiotics, 563
Application of normal phase liquid chromatography/mass spectrometry by using coaxial continuous flow fast atom bombardment, 575
Aqueous solution chemistry, Are the electrospray mass spectra of proteins related to?, 216
Aqueous solutions of metal salts, a study of: Electrospray mass spectrometry, 281
Are the electrospray mass spectra of proteins related to their aqueous solution chemistry?, 216
Argon and helium as collision gases in the high energy collision-induced decomposition of MH^+ ions of peptides, Comparison of, 502
Aromatic carbonyl compounds, protonated, Remote fragmentations of, via internal reactions in intermediary ion-neutral complexes, 417
Atmospheric pressure ionization techniques for the analysis of *N*-methyl carbamate pesticides by liquid chromatography mass spectrometry, An evaluation of, 378

Background reduction in ^{252}Cf-plasma desorption mass spectrometry, A pulsed ion deflection system for, 706
Baculovirus expressed mouse interleukin-3, application to, Liquid secondary ion mass spectrometry analysis of permethylated, *n*-hexylamine derivatized oligosaccharides, 345
Bases, strong, Reactions with vinyl fluoride formation and characterization of 1-fluorovinyl anion and the fluoride-acetylene hydrogen-bonded complex, 91
Bimolecular reactions of diols, Effects of functional group interactions on, 535
Biomolecules, sputtering, Shock wave model for, using massive cluster impacts, 311
Blood, human, measuring volatile organic compounds in, by using purge-and-trap gas chromatography/mass spectrometry, interferences in, removing of, Importance of enhanced mass resolution in, 831
Bombardment ionization method, model pulsed, a study of time-dependent desorption using: Improved detection limits for fast atom bombardment mass spectrometry, 637
Book Reviews
Continuous-Flow Fast Atom Bombardment Mass Spectrometry, 867
Mass Spectrometry in the Biological Sciences: A Tutorial NATO Advanced Science Institutes Series C: Mathematical and Physical Sciences 353, 867
Methods and Mechanisms for Producing Ions from Large Molecules, 780
Methods in Enzymology, Volume 193: Mass Spectrometry, 779
n-Butanol, Isomeric ion-neutral complexes generated from: the effect of the polarity of the neutral partner on complex-mediated reactions, 409

^{13}C-methyl methionine, isotope ratios of carbon dioxide in expired air from mice and men following the administration of, The quadrupole-based mass spectrometric evaluation of, 742
C_2H_5OD, H/D exchange reactions of emolate ions with. 2. Reactive collisions in quadrupole cells, 853
$C_3H_3^+$, linear, Isomerization of, in its reaction with acetylene, in a quadrupole ion trap mass spectrometer, 631
$C_4H_4^{+\cdot}$ isomers, Ion-molecule reactions and collision-activated dissociation of: a case study in the use of the MS^3 capabilities of a pentaquadrupole mass spectrometer, 518
$C_4H_8O^{+\cdot}$ potential energy surface, another part of, Fragmentation of 1- and 3-methoxypropene ions, 99
$[C_5H_5^+]^*$ collision complex, collisional stabilization of, in a quadrupole ion trap mass spectrometer, 631
CH_3O^+ cation, Gas-phase ion-molecule reactions of, 515
CH_3OD, H/D exchange reactions of emolate ions with. 2. Reactive collisions in quadrupole cells, 853
CAD, *See* Collision-activated dissociation

©1992 American Society for Mass Spectrometry
1044-0305/92/$5.00

Calibration, in liquid chromatography particle beam mass spectrometry, 662
Capillary liquid chromatography, nanoscale packed (75 m id), Application of, to the analysis of macrolide antibiotics, 563
Capillary zone electrophoresis, continuous-flow fast atom bombardment mass spectrometry, An integral probe for, 198
Capillary zone electrophoresis–continuous flow-fast atom bombardment mass spectrometry, Identification of deoxynucleoside–polyaromatic hydrocarbon adducts by, 757
Capillary zone electrophoresis/Electrospray ionization mass spectrometry, Application of, to the analysis of macrolide antibiotics, 563
Capillary zone electrophoresis/electrospray ionization parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides, Optimization of, 289
Carbon dioxide, isotope ratios, in expired air from mice and men following the administration of ^{13}C-methyl methionine, The quadrupole-based mass spectrometric evaluation of, 742
Carbonyl compounds, aromatic, Remote fragmentations of, via internal reactions in intermediary ion-neutral complexes, 417
Carcinogen-nucleoside adducts, identification of, fast atom bombardment mass spectral methods for, Development of, 360
Ceramides, structure determination of, by collisional activation of $[M + Li]^+$ ions, 260
^{252}Cf-Plasma desorption mass spectrometry, background reduction in, A pulsed ion deflection system for, 706
Characterization of diacylglycerylphosphocholine molecular species by FAB-CAD-MS/MS: a general method not sensitive to the nature of the fatty acyl groups, 71
Characterization of the dissociation behavior of gas-phase protonated and methylated lactones, 47
Charge inversion tandem mass spectrometry, Isomer differentiation by: an investigation into the structure of the ionic products from an S_n(ANRORC) reaction, 467
Charge-remote fragmentation, during FAB-CAD-B/E linked-scan mass spectrometry of aminoethyl-triphenylphosphonium derivatives of fatty acids, 769
"Charge-remote" fragmentation, Implications of the charge site in, 776
Charge remote fragmentation, structural characterization by: Fast atom bombardment mass spectrometry of mycobacterial glycopeptidolipid antigens, 656
Charge site in "charge-remote" fragmentations, Implications of, 776
Chemical ionization gas, neutral, Reaction of analyte ions with, 549
Chlorinated phenoxyacid herbicides, mass spectra of, obtained by particle beam liquid chromatography/mass spectrometry, Evidence for thermal decomposition contributions to, 823
Chromatography, gas, ion trap mass spectrometry, Alternating RF/DC isolations for quantitation with coeluting internal standards in, 85
Chromatography, gas, mass spectrometry components, overlapping, Spectral deconvolution for, 558
Chromatography, gas, purge-and-trap/mass spectrometry, measuring volatile organic compounds in human blood by, interferences in, removing of, Importance of enhanced mass resolution in, 831
Chromatography, liquid, mass spectrometry, for the analysis of *N*-methyl carbamate pesticides, An evaluation of atmospheric pressure ionization techniques for, 378
Chromatography, liquid, mass spectrometry, with collision-induced dissociation, The determination of glycopeptides by, 804
Chromatography, liquid, mass spectrometry, normal phase, The application of, by using coaxial continuous flow fast atom bombardment, 575
Chromatography, liquid, mass spectrometry, particle beam, mass spectra of chlorinated phenoxyacid herbicites obtained by, Evidence for thermal decomposition contributions to, 823
Chromatography, liquid, mass spectrometry, particle beam, Mass transport and calibration in, 662
Chromatography, liquid, nanoscale packed capillary (75 m id), Application of, to the analysis of macrolide antibiotics, 563
Cluster impacts, massive, Shock wave model for sputtering biomolecules using, 311
Cluster ions on a VG analytical ZAB-2FQ, dissociation studies of, high and low energy collision-induced, A compact high pressure ion source for, 33
Coaxial continuous flow fast atom bombardment, The application of normal phase liquid chromatography/mass spectrometry by using, 575
Coeluting internal standards in gas chromatography/ion trap mass spectrometry, quantitation with, Alternating RF/DC isolations for, 85
Collision, high-energy, glutathione conjugates activated by, Fragmentation characteristics of, 815
Collision, Reactive, in quadrupole cells. 2. H/D exchange reactions of emolate ions with CH_3OD and C_2H_5OD, 853
Collision-activated decomposition of protonated peptides, Influence of cysteine to cysteic acid oxidation on: evidence for intraionic interactions, 337
Collision-activated dissociation-B/E linked scan-mass spectrometry-fast atom bombardment, of aminoethyl-triphenylphosphonium derivatives of amino acids, Charge remote fragmentation during, 769
Collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers: a case study in the use of the MS^3 capabilities of a pentaquadrupole mass spectrometer, 518
Collision-activated dissociation of the acetone cation, Kinetics and mechanism of, 427
Collision gases, helium and argon as, in the high energy collision-induced decomposition of MH^+ ions of peptides, Comparison of, 502
Collision-induced decomposition, high-energy, of MH^+ ions of peptides, Comparison of helium and argon as collision gases in, 502
Collision-induced dissociation, liquid chromatography/mass spectrometry with, The determination of glycopeptides by, 804
Collision-induced dissociation mass spectra, tandem high energy, peptide sequencing from, Pattern-based algorithm for, 326
Collision-induced dissociation mass spectrometry of nonionic surfactants following direct supercritical fluid injection, 150
Collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides. I: Electron ionization-tandem mass spectrometry of glycosphingolipids, 353
Collision-induced dissociation studies, high and low energy, of cluster ions on a VG analytical ZAB-2FQ, A compact high pressure ion source for, 33
Collision-induced reactions of double charged porphyrins, 235
Collisional activation in analytical mass spectrometry, Principles of, 599

Collisional focusing effects in radio frequency quadrupoles, 398
Collisional stabilization of the $[C_5H_5^+]^*$ collision complex in a quadrupole ion trap mass spectrometer, 631
Compact high pressure ion source for high and low energy collision-induced dissociation studies of cluster ions on a VG analytical ZAB-2FQ, A, 33
Comparison of helium and argon as collision gases in the high energy collision-induced decomposition of MH^+ ions of peptides, 502
Complex-mediated reactions, effect of the polarity of the neutral partner on: Isomeric ion-neutral complexes generated from ionized 2-methylpropanol and *n*-butanol, 409
Continuous-flow fast atom bombardment mass spectrometry, An internal probe for, 198
Continuous flow-fast atom bombardment mass spectrometry capillary zone–electrophoresis, Identification of deoxynucleoside–polyaromatic hydrocarbon adducts by, 757
Crown ethers, orders of relative alkali metal ion affinities of, Determination of, by the kinetic method, 543
Curie-point pyrolysis tandem mass spectrometry, An investigation of dipeptides containing polar and nonpolar side groups by, 750
Cysteic acid, cysteine oxidation to, Influence of, on the collision-activated decomposition of protonated peptides: evidence for intraionic interactions, 337
Cysteine, to cysteic acid oxidation, Influence of, on the collision-activated decomposition of protonated peptides: evidence for intraionic interactions, 337
Cytochrome *c* ions, multiply charged, Gas-phase proton transfer reactions involving, under thermal conditions, 624

D, *See* Deuterium
Decomposition, thermal, contributions to the mass spectra of chlorinated phenoxyacid herbicides obtained by particle beam liquid chromatography/mass spectrometry, Evidence for, 823
Deconvolution, by an entropy-based algorithm: Electrospray ionization mass spectrometry, 207
Deconvolution, Spectral, for overlapping GC/MS components, 558
Deoxynucleoside–polyaromatic hydrocarbon adducts, Identification of, by capillary zone electrophoresis continuous flow-fast atom bombardment mass spectrometry, 757
Design and performance of a novel electrospray interface, 18
Desorption, time-dependent, a study of, using a model pulsed bombardment ionization method: Improved detection limits for fast atom bombardment mass spectrometry, 637
Determination of glycopeptides by liquid chromatography/mass spectrometry with collision-induced dissociation, The, 804
Determination of orders of relative alkali metal ion affinities of crown ethers and acyclic analogs by the kinetic method, 543
Deuterium/hydrogen exchange reactions of emolate ions with CH_3OD and C_2H_5OD. 2. Reactive collisions in quadrupole cells, 853
Development of fast atom bombardment mass spectral methods for identification of carcinogen-nucleoside adducts, 360
Diacylglycerylphosphocholine molecular species, Characterization of, by FAB-CAD-MS/MS: a general method not sensitive to the nature of the fatty acyl groups, 71
Dimethyl ether, selectivity of, Methylene substitution reactions in a quadrupole ion trap, 39
Diols, bimolecular and dissociation reactions of, Effects of functional group interactions on, 535
Dioxins, monobromopolychlorodibenzo-*p*, trace, in environmental samples, determination of, Application of gas chromatography high-resolution mass spectrometry to, 248
Dipeptides containing polar and nonpolar side groups, An investigation of, by Curie-point pyrolysis tandem mass spectrometry, 750
Disaccharides, glycosaminoglycan-derived, sulfate and linkage position in, Negative ion fast-atom bombardment tandem mass spectrometry to determine, 797
Dissociation, collision-induced, liquid chromatography/mass spectrometry with, The determination of glycopeptides by, 804
Dissociation, Surface-induced, in tandem quadrupole mass spectrometers: a comparison of three designs, 27
Dissociation behavior of gas-phase protonated and methylated lactones, Characterizations of the, 47
Dissociation mass spectrometry, Collision-induced, of nonionic surfactants following direct supercritical fluid injection, 150
Dissociation reactions of diols, Effects of functional group interactions on, 535
Dissociation studies, collision-induced, high and low energy, of cluster ions on a VG analytical ZAB-2FQ, A compact high pressure ion source for, 33

Effect of frequency sweep direction on motion of excited ions in Fourier transform ion cyclotron resonance cells, 847
Effects of functional group interactions on the bimolecular and dissociation reactions of diols, 535
Egyptian mummy resin, Analysis of, by mass spectrometry, 582
Electrochemistry, *m*-Nitrobenzyl alcohol, in fast atom bombardment mass spectrometry, 113
Electron-ionization-tandem mass spectrometry of glycosphingolipids. I: the identification of compound-specific sequence ions in the collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides, 353
Electrophoresis, capillary zone-continuous flow fast atom bombardment mass spectrometry. An integral probe for, 198
Electrophoresis, capillary zone–continuous flow fast atom bombardment mass spectrometry, Identification of deoxynucleoside–polyaromatic hydrocarbon adducts by, 757
Electrophoresis, capillary zone/electrospray ionization mass spectrometry, Application of, to the analysis of macrolide antibiotics, 563
Electrophoresis, capillary zone/electrospray ionization parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides, Optimization of, 289
Electrospray interface, novel, Design and performance of, 18
Electrospray ionization, A new approach for the study of gas-phase ion-ion reactions using, 695
Electrospray ionization/capillary zone electrophoresis parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides, Optimization of, 289
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer, high magnetic field, Trapping and detection of ions generated in, 615
Electrospray ionization mass spectrometry/capillary zone electrophoresis, Application of, to the analysis of macrolide antibiotics, 563
Electrospray ionization mass spectrometry: deconvolution by an entropy-based algorithm, 207

Electrospray ionization mass spectrometry, Nanoscale separations combined with: sulfonamide determination, 139
Electrospray mass spectra, of proteins, Are they related to their aqueous solution chemistry?, 216
Electrospray mass spectrometry: a study of some aqueous solutions of metal salts, 281
Emolate ions, H/D exchange reactions of, with CH_3OD and C_2H_5OD. 2. Reactive collisions in quadrupole cells, 853
Energy deposition in iron pentacarbonyl ions undergoing surface-induced dissociation in a Fourier transform mass spectrometer, 445
Entropy-based algorithm: deconvolution by, Electrospray ionization mass spectrometry, 207
Environmental samples, trace monobromopolychlorodibenzo-*p*-dioxins in, determination of, Application of gas chromatography high-resolution mass spectrometry to, 248
Ethanol-treated rat hepatocytes, Novel 3-hydroxylated leukotriene B_4 metabolites from, 762
Ethers, crown, orders of relative alkali metal ion affinities of, Determination of, by the kinetic method, 543
Ethylene, catalyzed by Ti^+ in the gas phase, Polymerization of, Evidence for, 464
Ethylene, selectivity of, Methylene substitution reactions in a quadrupole ion trap, 39
Ethylene oxide, selectivity of, Methylene substitution reactions in a quadrupole ion trap, 39
Evaluation of atmospheric pressure ionization techniques for the analysis of *N*-methyl carbamate pesticides by liquid chromatography mass spectrometry, An, 378
Evaluation of automatically generated substructure identification rules from tandem mass spectra, 169
Evidence for the polymerization of ethylene catalyzed by Ti^+ in the gas phase, 464
Evidence for thermal decomposition contributions to the mass spectra of chlorinated phenoxyacid herbicides obtained by particle beam liquid chromatography/mass spectrometry, 823
Evidence of isomerization during ion isolation in the quadrupole ion trap, 680
Excited ions, motion of, in Fourier transform ion cyclotron resonance cells, Effect of frequency sweep direction on, 847
Experimental evaluation of a hyperbolic ion trap for Fourier transform ion cyclotron resonance mass spectrometry, 188
Explosives, RDX, PETN, and TNT, Negative-ion formation in, by using the reversal electron attachment detection technique, 243

FAB, *See* Fast atom bombardment
Fast atom bombardment, continuous flow, capillary zone electrophoresis, Identification of deoxynucleoside–polyaromatic hydrocarbon adducts by, 757
Fast atom bombardment, continuous flow, coaxial, The application of normal phase liquid chromatography/mass spectrometry by using, 575
Fast atom bombardment-collision activated dissociation-B/E linked-scan mass spectrometry of aminoethyl-triphenylphosphonium derivatives of amino acids, Charge-remote fragmentation during, 769
Fast atom bombardment-collision-activated dissociation-mass spectrometry, Characterization of diacylglyceryl-phosphocholine molecular species by, a general method not sensitive to the nature of fatty acyl groups, 71
Fast atom bombardment-induced condensation of glycerol with ammonium surfactants. I: regioselectivity of the adduct formation, 318
Fast atom bombardment mass spectral methods for the identification of carcinogen-nucleoside adducts, Development of, 360
Fast atom bombardment mass spectrometry, continuous-flow, An integral probe for, 198
Fast atom bombardment mass spectrometry, detection limits for, Improved: a study of time-dependent desorption using a model pulsed bombardment ionization method, 637
Fast-atom bombardment mass spectrometry, high resolution, positive and negative ion, reference compound for, Ultramark 1621 as, 842
Fast atom bombardment mass spectrometry, of mycobacterial glycopeptidolipid antigens: structural characterization by charge remote fragmentation, 656
Fast atom bombardment mass spectrometry, *m*-Nitrobenzyl alcohol electrochemistry in, 113
Fast atom bombardment mass spectrometry, tandem, Negative ion, to determine sulfate and linkage position in glycosaminoglycan-derived disaccharides, 797
Fatty acids, aminoethyl-triphenylphosphonium derivatives of, FAB-CAD-B/E linked-scan mass spectrometry of, Charge-remote fragmentation during, 769
Fatty acyl groups, a general method not sensitive to: Characterization of diacylglycerylphosphocholine molecular species by FAB-CAD-MS/MS, 71
First-stage pressure to reduce interference effects in inductively coupled plasma-mass spectrometry, Selection of, 128
Flowing afterglow technique for ion-molecule reaction studies, early development of, A personal history of, 479
Fluid injection, direct supercritical, Collision-induced dissociation mass spectrometry of nonionic surfactants following, 150
Fluoride-acetylene hydrogen-bonded complex, characterization of, Reactions of strong bases with vinyl fluoride formation and, 91
1-Fluorovinyl anion, characterization of, Reactions of strong bases with vinyl fluoride formation and, 91
Formation and fragmentation of gas-phase ion-molecule complexes of transition-metal ions with organic molecules containing two functional groups, 451
Formation of the 3-pentanone ion from ionized propyl propanoate through ion-neutral complexes, 183
Fourier transform ion cyclotron resonance cells, motion of excited ions in, Effect of frequency sweep direction on, 847
Fourier transform ion cyclotron resonance mass spectrometer, high magnetic field electrospray ionization, Trapping and detection of ions generated in, 615
Fourier transform ion cyclotron resonance mass spectrometric detection, A glow discharge ion source with, 122
Fourier transform ion cyclotron resonance mass spectrometry, hyperbolic ion trap for, Experimental evaluation of, 188
Fourier transform ion cyclotron resonance mass spectrometry: Probing trapped ion energies via ion-molecule reaction kinetics, 727
Fourier transform-ion cyclotron resonance spectra, relative peak heights in, Space charge effects on, 734
Fourier transform mass spectrometer, surface-induced dissociation in, iron pentacarbonyl ions undergoing, Energy deposition in, 445
Fourier transform mass spectrometry, High pressure trapping in: a radiofrequency-only-mode event, 590
Fourier transform mass spectrometry, ionization, ion cyclotron, reagent ions in, Potassium halide adducts as, 301

Fourier transform mass spectrometry, poor high mass performance in, A mechanism for, 460
Fragmentation, "charge-remote," Implications of the charge site in, 776
Fragmentation, charge remote, structural characterization by: Fast atom bombardment mass spectrometry of mycobacterial glycopeptidolipid antigens, 656
Fragmentation, Charge-remote, during FAB-CAD-B/E linked-scan mass spectrometry of aminoethyl-triphenylphosphonium derivatives of fatty acids, 769
Fragmentation, of 1- and 3-methoxypropene ions: another part of the $C_4H_8O^{+\cdot}$ potential energy surface, 99
Fragmentation, Remote, of protonated aromatic carbonyl compounds via internal reactions in intermediary ion-neutral complexes, 417
Fragmentation characteristics of glutathione conjugates activated by high-energy collisions, 815
Frequency sweep direction, Effect of, on motion of excited ions in Fourier transform ion cyclotron resonance cells, 847
Fullerenes, Mass spectrometry and, 268
Functional group interactions, Effects of, on the bimolecular and dissociation reactions of diols, 535

Gangliosides, underivatized and permethylated, Matrix-assisted laser desorption ionization time-of-flight mass spectrometry of, 785
Gas chromatography/ion trap mass spectrometry, Alternating RF/DC isolations for quantitation with coeluting internal standards in, 85
Gas chromatography/mass spectrometry components, overlapping, Spectral deconvolution for, 558
Gas chromatography, purge and trap/mass spectrometry, measuring volatile organic compounds in human blood by, interferences in, removing of, Importance of enhanced mass resolution in, 831
Gas chromatography mass spectrometry, High-resolution, Application to the determination of trace monobromopolychlorodibenzo-*p*-dioxins in environmental samples, 248
Gas phase, polymerization of ethylene catalyzed by Ti^+ in, Evidence for, 464
Gas-phase ion-ion reactions, study of, using electrospray ionization, A new approach for, 695
Gas-phase ion-molecule complexes of transition-metal ions, Formation and fragmentation of, with organic molecules containing two functional groups, 451
Gas-phase ion-molecule reactions of the CH_3O^+ cation, 515
Gas-phase proton transfer reactions involving multiply charged cytochrome *c* ions and water under thermal conditions, 624
Gas-phase protonated and methylated lactones, dissociation behavior of, Characterization of, 47
GC, *See* Gas chromatography
Generation of substructure identification rules using feature-combinations from tandem mass spectra, 159
Glow discharge ion source with Fourier transform ion cyclotron resonance mass spectrometric detection, A, 122
Glow discharge mass spectrometry, relative ion yields for, Theoretical calculations of, 79
Glutathione conjugates, activated by high-energy collisions, Fragmentation characteristics of, 815
Glycerol, condensation of, with ammonium surfactants, Fast atom bombardment-induced. I: regioselectivity of the adduct formation, 318
Glycopeptides, The determination of, by liquid chromatography/mass spectrometry with collision-induced dissociation, 804
Glycopeptidolipid antigens, mycobacterial, Fast atom bombardment mass spectrometry of: structural characterization by charge remote fragmentation, 656
Glycosaminoglycan-derived disaccharides, sulfate and linkage position in, Negative fast-atom bombardment tandem mass spectrometry to determine, 797
Glycosphingolipids, Electron ionization-tandem mass spectrometry of: I: the identification of compound-specific sequence ions in the collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides, 353
Glycosphingolipids, neutral, Structure determination of, by collisional activation of $[M + Li]^+$ ions, 260
Growth of the *Journal of the American Society for Mass Spectrometry*, The (editorial), 267

H, *See* Hydrogen
Helium and argon as collision gases in the high energy collision-induced decomposition of MH^+ ions of peptides, Comparison of, 502
Hepatocytes, rat, ethanol-treated, Novel 3-hydroxylated leukotriene B_4 metabolites from, 762
Herbicides, chlorinated phenoxyacid, mass spectra of, obtained by particle beam liquid chromatography/mass spectrometry, Evidence for thermal decomposition contributions to, 823
Hexaglycosylceramides, isomeric, two, immonium ions of, collision-induced dissociation spectra of, identification of compound-specific sequence ions in. I: Electron ionization-tandem mass spectrometry of glycosphingolipids, 353
n-Hexylamine, permethylated, derivatized oligosaccharides, Liquid secondary ion mass spectrometry analysis of. Application to baculovirus expressed mouse interleukin-3, 345
High accuracy measurement of isotope ratios of molybdenum in some terrestrial molybdenites, 10
High and low energy collision-induced dissociation studies of cluster ions on a VG analytical ZAB-2FQ, A compact high pressure ion source for, 33
High mass performance, poor, in Fourier transform mass spectrometry, A mechanism for, 460
High pressure ion source, A compact, for high and low energy collision-induced dissociation studies of cluster ions on a VG analytical ZAB-2FQ, 33
High pressure trapping in Fourier transform mass spectrometry: a radiofrequency-only-mode event, 590
Hydrogen/deuterium exchange reactions of emolate ions with CH_3OD and C_2H_5OD. 2. Reactive collisions in quadrupole cells, 853
Hyperbolic ion trap, for Fourier transform ion cyclotron resonance mass spectrometry, Experimental formation of, 188

Identification of deoxynucleoside–polyaromatic hydrocarbon adducts by capillary zone electrophoresis–continuous flow-fast atom bombardment mass spectrometry, 757
Immonium ions of two isomeric hexaglycosylceramides, collision-induced dissociation spectra of, identification of: I. Electron ionization-tandem mass spectrometry of glycosphingolipids, 353
Implication of the charge site in "charge-remote" fragmentations, 776
Importance of enhanced mass resolution in removing interferences when measuring volatile organic compounds in human blood by using purge-and-trap gas chromatography/mass spectrometry, 831

Improved detection limits for fast atom bombardment mass spectrometry: a study of time-dependent desorption using a model pulsed bombardment ionization method, 637
Influence of cysteine to cysteic acid oxidation on the collision-activated decomposition of protonated peptides: evidence for intraionic interactions, 337
Infrared laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, reagent ions in, Potassium halide adducts as, 301
Integral probe for capillary zone electrophoresis/continuous-flow fast atom bombardment mass spectrometry, An, 198
Interference effects, in inductively coupled plasma-mass spectrometry, solvent load and first-stage pressure to reduce, Selection of, 128
Interferences, removal of, when measuring volatile organic compounds in human blood by using purge-and-trap gas chromatography/mass spectrometry, Importance of enhanced mass resolution in, 831
Interleukin-3, mouse, baculovirus expressed, application to. Liquid secondary ion mass spectrometry analysis of permethylated, *n*-hexylamine derivatized oligosaccharides, 345
Intermediary ion-neutral complexes, internal reactions in, Remote fragmentations of protonated aromatic carbonyl compounds via, 417
Intraionic interactions, evidence for: Influence of cysteine to cysteic acid oxidation on the collision-activated decomposition of protonated peptides, 337
Investigation of dipeptides containing polar and nonpolar side groups by Curie-point pyrolysis tandem mass spectrometry, An, 750
Ion, generated in a high magnetic field electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer, Trapping and detection of, 615
Ion, isolation, in the quadrupole ion trap, Evidence of isomerization during, 680
Ion cyclotron resonance mass spectrometry, Fourier transform, ionization, reagent ions in, Potassium halide adducts as, 301
Ion cyclotron resonance mass spectrometry, Fourier transform: Probing trapped ion energies via ion-molecule reaction kinetics, 727
Ion cyclotron resonance spectra, Fourier transform, relative peak heights in, Space charge effects on, 734
Ion deflection system, A pulsed, for background reduction in ^{252}Cf-plasma desorption mass spectrometry, 706
Ion energies, trapped, Probing, via ion-molecule reaction kinetics: Fourier transform ion cyclotron resonance mass spectrometry, 727
Ion energies, trapped, Probing, via ion-molecule reaction kinetics: quadrupole ion trap mass spectrometry, 716
Ion-ion reactions, gas-phase, study of, using electrospray ionization, A new approach for, 695
Ion kinetic energy spectra, mass-analyzed, main beam in, low energy side of, Origin of the tailing signal on, 644
Ion–molecule equilibria, how and why, 1
Ion-molecule reaction kinetics, Probing trapped ion energies via: Fourier transform ion cyclotron resonance mass spectrometry, 727
Ion-molecule reaction kinetics, Probing trapped ion energies via: quadrupole ion trap mass spectrometry, 716
Ion-molecule reaction studies, flowing afterglow technique for, early development of, A personal history of, 479
Ion-molecule reactions, Gas-phase, of the CH_3O^+ cation, 515
Ion-molecule reactions and collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers: a case study in the use of the MS^3 capabilities of a pentaquadrupole mass spectrometer, 518
Ion-neutral complexes, Formation of the 3-pentanone ion from ionized propyl propanoate through, 183
Ion-neutral complexes, intermediary, internal reactions in, Remote fragmentations of protonated aromatic carbonyl compounds via, 417
Ion-neutral complexes, Isomeric, generated from ionized 2-methylpropanol and *n*-butanol: the effect of the polarity of the neutral partner on complex-mediated reactions, 409
Ion source, A compact high pressure, for high and low energy collision-induced dissociation studies of cluster ions on a VG analytical ZAB-2FQ, 33
Ion trap, hyperbolic, for Fourier transform ion cyclotron resonance mass spectrometry, Experimental evaluation of, 188
Ion trap, quadrupole, ion isolation in, Evidence of isomerization during, 680
Ion trap, quadrupole, Methylene substitution reactions in, selectivity of ethylene, ethylene oxide, and dimethyl ether reactive ions, 39
Ion trap mass spectrometry/gas chromatography/Alternating RF/DC isolations for quantitation with coeluting internal standards in, 85
Ion trap mass spectrometry, quadrupole, Probing trapped ion energies via-molecule reaction kinetics, 716
Ion trap mass spectrometry, tandem, Quantitative analysis of crude plasma extracts by, 372
Ion yields, relative, for glow discharge mass spectrometry, Theoretical calculations of, 79
Ionization, electrospray, A new approach for the study of gas-phase ion-ion reactions using, 695
Ionization, electrospray/capillary zone electrophoresis parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides, Optimization of, 289
Ionization, electrospray, mass spectrometry, capillary zone electrophoresis, Application of, to the analysis of macrolide antibiotics, 563
Ionization, electrospray, mass spectrometry, deconvolution by an entropy-based algorithm, 207
Ionization, electrospray, mass spectrometry, Nanoscale separations combined with: sulfonamide determination, 139
Ionization, Fourier transform ion cyclotron resonance/infrared laser desorption mass spectrometry, reagent ions in, Potassium halide adducts as, 301
Ionization method, bombardment, model pulsed, a study of time-dependent desorption using, Improved detection limits for fast atom bombardment mass spectrometry, 637
Ionization techniques, atmospheric pressure, for the analysis of *N*-methyl carbamate pesticides by liquid chromatography mass spectrometry, An evaluation of, 378
Ionized propyl propanoate, Formation of the 3-pentanone ion from, through ion-neutral complexes, 183
Iron pentacarbonyl ions undergoing surface-induced dissociation in a Fourier transform mass spectrometer, Energy deposition in, 445
Isomer differentiation by charge inversion tandem mass spectrometry: an investigation into the structure of the ionic products from an S_n(ANRORC) reaction, 467
Isomeric ion-neutral complexes generated from ionized 2-methylpropanol and *n*-butanol: the effect of the polarity of the neutral partner on complex-mediated reactions, 409
Isomerization, during ion isolation in the quadrupole ion trap, Evidence of, 680
Isomerization, of linear $C_3H_3^+$ in its reaction with acetylene, and collisional stabilization of the $[C_5H_5^+]^*$ collision

complex in a quadrupole ion trap mass spectrometer, 631
Isotope ratios, of carbon dioxide in expired air from mice and men following the administration of ^{13}C-methyl methionine, The quadrupole-based mass spectrometric evaluation of, 742
Isotope ratios, of molybdenum, in terrestrial molybdenites, measurement of, High accuracy, 10

Journal of the American Society for Mass Spectrometry, The growth of, (editorial), 267

Kinetic method, Determination of orders of relative alkali metal ion affinities of crown ethers and acyclic analogs by, 543
Kinetic method, Proton affinities of polyglycines assessed by using, 863
Kinetics and mechanism of the collision-activated dissociation of the acetone cation, 427

Lactones, gas-phase protonated and methylated, dissociation behavior of, Characterization of the, 47
Laser desorption, infrared/ionization Fourier transform ion cyclotron resonance mass spectrometry, reagent ions in, Potassium halide adducts as, 301
Laser desorption ionization time-of-flight mass spectrometry, Matrix-assisted, of underivatized and permethylated gangliosides, 785
Letters to the editor, 471
Leukotriene B_4 metabolites, 3-hydroxylated, Novel, from ethanol-treated rat hepatocytes, 762
Liquid chromatography, nanoscale packed capillary (75 m id), Application of, to the analysis of macrolide antibiotics, 563
Liquid chromatography, normal phase/mass spectrometry, The application of, by using coaxial continuous flow fast atom bombardment, 575
Liquid chromatography mass spectrometry, with collision-induced dissociation, The determination of glycopeptides by, 804
Liquid chromatography mass spectrometry, for the analysis of *N*-methyl carbamate pesticides, An evaluation of atmospheric pressure ionization techniques for, 378
Liquid chromatography mass spectrometry, particle beam, mass spectra of chlorinated phenoxyacid herbicides obtained by, Evidence for thermal decomposition contributions to, 823
Liquid chromatography mass spectrometry, particle beam, Mass transport and calibration in, 662
Liquid secondary ion mass spectrometry analysis of permethylated, *n*-hexylamine derivatized oligosaccharides. Application to baculovirus expressed mouse interleukin-3, 345
Lithium-attachment ions from polyglycols, Tandem mass spectrometry of, 225
Low energy collision-induced dissociation studies of cluster ions on a VG analytical ZAB-2FQ, A compact high pressure ion source for, 33
Low-energy side of the main beam in mass-analyzed ion kinetic energy spectra, Origin of the tailing signal on, 644

$[M + Li]^+$ ions, collisional activation of, Structure determination of ceramides and neutral glycosphingolipids by, 260
Macrolide antibiotics, analysis of, Application of nanoscale packed capillary liquid chromatography (75 m id) and capillary zone electrophoresis/electrospray ionization mass spectrometry to, 563
Mass-analyzed ion kinetic energy spectra, main beam of, low-energy side of, Origin of the tailing signal on, 644
Mass resolution, enhanced, Importance of, in removing interferences when measuring volatile organic compounds in human blood by using purge-and-trap chromatography/mass spectrometry, 831
Mass spectra, electrospray, of proteins, Are they related to their aqueous solution chemistry?, 216
Mass spectra, tandem, feature-combinations from, generation of substructure identification rules using, 159
Mass spectra, tandem, substructure identification rules from, automatically generated, Evaluation of, 169
Mass spectra, tandem high energy collision-induced dissociation, peptide sequencing from, Pattern-based algorithm for, 326
Mass spectral methods, fast atom bombardment, for the identification of carcinogen-nucleoside adducts, Development of, 360
Mass spectrometer, electrospray ionization Fourier transform ion cyclotron resonance, high magnetic field, Trapping and detection of ions generated in, 615
Mass spectrometer, Fourier transform, surface-induced dissociation in, iron pentacarbonyl ions undergoing, Energy deposition in, 445
Mass spectrometer, pentaquadrupole, MS^3 capabilities of, a case study in the use of: Ion-molecule reactions and collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers, 518
Mass spectrometer, quadrupole ion trap, Isomerization of linear $C_3H_3^+$ in its reaction with acetylene, and collisional stabilization of the $[C_5H_5^+]^*$ collision complex in, 631
Mass spectrometer, tandem, for the study of molecular dissociations, A new, 487
Mass spectrometer, tandem quadrupole, acceleration-deceleration, Novel, for neutralization-reionization studies, 493
Mass spectrometer, tandem quadrupole, Surface-induced dissociation in: a comparison of three designs, 27
Mass spectrometer, VG analytical ZAB-2FQ, cluster ions on, dissociation studies of, collision-induced high and low energy, A compact high pressure ion source for, 33
Mass spectrometric detection, Fourier transform ion cyclotron resonance, A glow discharge ion source with, 122
Mass spectrometric evaluation, The quadrupole-based, of isotope ratios of carbon dioxide in expired air from mice and men following the administration of ^{13}C-methyl methionine, 742
Mass spectrometry, and fullerenes, 268
Mass spectrometry, Analysis of an Egyptian mummy resin by, 582
Mass spectrometry, analysis of peptides, Optimization of capillary zone electrophoresis/electrospray ionization parameters for, 289
Mass spectrometry, analytical, Principles of collisional activation in, 599
Mass spectrometry, ^{252}Cf-plasma desorption, background reduction in, A pulsed ion deflection system for, 706
Mass spectrometry, Collision-induced dissociation, of nonionic surfactants following direct supercritical fluid injection, 150
Mass spectrometry, Electrospray: a study of some aqueous solutions of metal salts, 281
Mass spectrometry, electrospray ionization/capillary zone electrophoresis, Application of, to the analysis of macrolide antibiotics, 563
Mass spectrometry, Electrospray ionization: deconvolution by an entropy-based algorithm, 207
Mass spectrometry, electrospray ionization, Nanoscale separations combined with: sulfonamide determination, 139

Mass spectrometry, fast atom bombardment-collision activated dissociation-B/E linked-scan, of aminoethyl-triphenylphosphonium derivatives of fatty acids, Charge-remote fragmentation during, 769
Mass spectrometry, fast atom bombardment, continuous-flow, An integral probe for, 198
Mass spectrometry, fast atom bombardment, continuous flow,–capillary zone electrophoresis, Identification of deoxynucleoside–polyaromatic adducts by, 757
Mass spectrometry, fast atom bombardment, detection limits for, Improved: a study of time-dependent desorption using a model pulsed bombardment ionization method, 637
Mass spectrometry, fast-atom bombardment, high-resolution, positive and negative ion, reference compound for, Ultramark 1621 as, 842
Mass spectrometry, fast atom bombardment, of mycobacterial glycopeptidolipid antigens: structural characterization by charge remote fragmentation, 656
Mass spectrometry, Fourier transform, High pressure trapping in: a radiofrequency-only-mode event, 590
Mass spectrometry, Fourier transform, ionization, ion cyclotron resonance, reagent ions in, Potassium halide ions as, 301
Mass spectrometry, Fourier transform, poor high mass performance in, A mechanism for, 460
Mass spectrometry, Fourier transform ion cyclotron resonance, hyperbolic ion trap for, Experimental evaluation of, 188
Mass spectrometry, Fourier transform ion cyclotron resonance: Probing trapped ion energies via ion-molecule reaction kinetics, 727
Mass spectrometry, gas chromatography, high-resolution, Application to the determination of trace monobromopolychlorodibenzo-*p*-dioxins in environmental samples, 248
Mass spectrometry/gas chromatography, purge-and-trap, measuring volatile organic compounds in human blood by, interferences in, removing of, Importance of enhanced mass resolution in, 831
Mass spectrometry/Gas chromatography components, overlapping, Spectral deconvolution for, 558
Mass spectrometry, glow discharge, Theoretical calculations of relative ion yields for, 79
Mass spectrometry, ion trap/gas chromatography, Alternating RF/DC isolations for quantitation with coeluting internal standards in, 85
Mass spectrometry, ion trap, quadrupole: Probing trapped ion energies via ion-molecule reaction kinetics, 716
Mass spectrometry, liquid chromatography, for the analysis of *N*-methyl carbamate pesticides, An evaluation of atmospheric pressure ionization techniques for, 378
Mass spectrometry/liquid chromatography, with collision-induced dissociation, The determination of glycopeptides by, 804
Mass spectrometry/liquid chromatography, normal phase, The application of, by using coaxial continuous flow fast atom bombardment, 575
Mass spectrometry, liquid chromatography, particle beam, mass spectra of chlorinated phenoxyacid herbicides obtained by, Evidence for thermal decomposition contributions to, 823
Mass spectrometry, Liquid chromatography, particle beam, Mass transport and calibration in, 662
Mass spectrometry, Liquid secondary ion, analysis of permethylated, *n*-hexylamine derivatized oligosaccharides. Application to baculovirus expressed mouse interleukin-3, 345
Mass spectrometry, neutralization-reionization, Organic neutralization agents for, 108
Mass spectrometry, plasma, inductively coupled, interference in, Selection of solvent load and first-stage pressure to reduce, 128
Mass spectrometry, Professor Al Nier and his influence on, 685
Mass spectrometry, tandem, analysis of peptides, Optimization of capillary zone electrophoresis/electrospray ionization parameters for, 289
Mass spectrometry, tandem, charge inversion, Isomer differentiation by: an investigation into the structure of the ionic products from an S_n(ANRORC) reaction, 467
Mass spectrometry, tandem, Curie-point pyrolysis, An investigation of dipeptides containing polar and nonpolar side groups by, 750
Mass spectrometry, tandem, Electron ionization, of glycosphingolipids. I: the identification of compound-specific sequence ions in the collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides, 353
Mass spectrometry, tandem, FAB-CAD-MS/MS, Characterization of diacylglycerylphosphocholine molecular species by: a general method not sensitive to the nature of the fatty acyl groups, 71
Mass spectrometry, tandem, ion trap, Quantitative analysis of crude plasma extracts by, 372
Mass spectrometry, tandem, of lithium-attachment ions from polyglycols, 225
Mass spectrometry, tandem, Negative ion fast-atom bombardment, to determine sulfate and linkage position in glycosaminoglycan-derived disaccharides, 797
Mass spectrometry, Tandem, of small, multiply charged oligonucleotides, 60
Mass spectrometry, of taxol, 672
Mass spectrometry, time-of-flight, Matrix-assisted laser desorption ionization, of underivatized and permethylated gangliosides, 785
Mass spectrometry ^{3} capabilities of a pentaquadrupole mass spectrometer, a case study in the use of: Ion-molecule reactions and collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers, 518
Mass transport and calibration in liquid chromatography particle beam mass spectrometry, 662
Massive cluster impacts, Shock wave model for sputtering biomolecules using, 311
Matrix-assisted laser desorption ionization time-of-flight mass spectrometry of underivatized and permethylated gangliosides, 785
Mechanism of poor high mass performance in Fourier transform mass spectrometry, A, 460
Metal salts, of aqueous solutions, a study of: Electrospray mass spectrometry, 281
Methoxypropene ions, 1- and 3-, fragmentation of, another part of the $C_4H_8O^{+\cdot}$ potential energy surface, 99
2-Methylpropanol, ionized, Isomeric ion-neutral complexes generated from: the effect of the polarity of the neutral partner on complex mediated reactions, 409
Methylated lactones, gas-phase, dissociation behavior of, Characterization of the, 47
Methylene substitution reactions in a quadrupole ion trap: selectivity of ethylene, ethylene oxide, and dimethyl ether reactive ions, 39
MH^+ ions of peptides, high-energy collision-induced decomposition of, Comparison of helium and argon as collision gases in, 502
Mice, interleukin-3, baculovirus expressed, application to. Liquid secondary ion mass spectrometry analysis of

permethylated, *n*-hexylamine derivatized oligosaccharides, 345
Mice, isotope ratios of carbon dioxide in expired air from, following the administration of ^{13}C-methyl methionine, The quadrupole-based mass spectrometric evaluation of, 742
Model pulsed bombardment ionization method, a study of time-dependent desorption using: Improved detection limits for fast atom bombardment mass spectrometry, 637
Molecular dissociations, study of, A new tandem mass spectrometer for, 487
Molecule–ion equilibria, how and why, 1
Molecule-ion reaction kinetics, Probing trapped ion energies via: Fourier transform ion cyclotron resonance mass spectrometry, 727
Molecule-ion reaction kinetics, Probing trapped ion energies via: quadrupole ion trap mass spectrometry, 716
Molecule-ion reaction studies, flowing afterglow technique for, early development of, A personal history of, 479
Molecule-ion reactions, Gas-phase, of the CH_3O^+ cation, 515
Molecule-ion reactions and collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers: a case study in the use of the MS^3 capabilities of a pentaquadrupole mass spectrometer, 518
Molybdenites, terrestrial, isotope ratios of molybdenum in, measurement of, High accuracy, 10
Molybdenum, isotope ratios of, in terrestrial molybdenites, measurement of, High accuracy, 10
Monobromopolychlorodibenzo-*p*-dioxins, trace, in environmental samples, determination of, Application of gas chromatography high-resolution mass spectrometry to, 248
Mycobacterial glycopeptidolipid antigens, Fast atom bombardment mass spectrometry of: structural characterization by charge remote fragmentation, 656

N-methyl carbamate pesticides, analysis of, by liquid chromatography mass spectrometry, An evaluation of atmospheric pressure ionization techniques for, 378
Nanoscale packed capillary liquid chromatography (75 m id) Application of, to the analysis of macrolide antibiotics, 563
Nanoscale separations combined with electrospray ionization mass spectrometry: sulfonamide determination, 139
Negative ion fast-atom bombardment tandem mass spectrometry to determine sulfate and linkage position in glycosaminoglycan-derived disaccharides, 797
Negative-ion formation in the explosives RDX, PETN, and TNT by using the reversal electron attachment detection technique, 243
Neutral chemical ionization gas, Reaction of analyte ions with, 549
Neutral partner, polarity of, effect on complex-mediated reactions: Isomeric ion-neutral complexes generated from ionized 2-methylpropanol and *n*-butanol, 409
Neutralization agents, Organic, for neutralization-reionization mass spectrometry, 108
Neutralization-reionization mass spectrometry, Organic neutralization agents for, 108
Neutralization-reionization studies, Novel tandem quadrupole-acceleration-deceleration mass spectrometer for, 493
New approach for the study of gas-phase ion-ion reactions using electrospray ionization, A, 695
New tandem mass spectrometer for the study of molecular dissociations, A, 487
Nier, Al, Professor, and his influence on mass spectrometry, 685
m-Nitrobenzyl alcohol electrochemistry in fast atom bombardment mass spectrometry, 113
Nonionic surfactants, Collision-induced dissociation mass spectrometry of, following direct supercritical fluid injection, 150
Normal phase liquid chromatography/mass spectrometry, The application of, by using coaxial continuous flow fast atom bombardment, 575
Novel 3-hydroxylated leukotriene B_4 metabolites from ethanol-treated rat hepatocytes, 762
Novel tandem quadrupole-acceleration-deceleration mass spectrometer for neutralization-reionization studies, 493
Nucleoside-carcinogen adducts, identification of, fast atom bombardment mass spectral methods for, Development of, 360

Oligonucleotides, small, multiply charged, Tandem mass spectrometry of, 60
Oligosaccharides, permethylated, *n*-hexylamine derivatized, Liquid secondary ion mass spectrometry analysis of. Application to baculovirus expressed mouse interleukin-3, 345
Optimization of capillary zone electrophoresis/electrospray ionization parameters for the mass spectrometry and tandem mass spectrometry analysis of peptides, 289
Organic compounds, volatile, in human blood, measuring, by using purge-and-trap gas chromatography/mass spectrometry, interferences, removing of, Importance of enhanced mass resolution in, 831
Organic molecules, containing two functional groups, Formation and fragmentation of gas-phase ion-molecule complexes of transition-metal ions with, 451
Organic neutralization agents for neutralization-reionization mass spectrometry, 108
Origin of the tailing signal on the low-energy side of the main beam in mass-analyzed ion kinetic energy spectra, 644

Particle beam liquid chromatography/mass spectrometry, mass spectra of chlorinated phenoxyacid herbicides obtained by, Evidence for thermal decomposition contributions to, 823
Pattern-based algorithm for peptide sequencing from tandem high energy collision-induced dissociation mass spectra, 326
Peak heights, relative, in Fourier transform-ion cyclotron resonance spectra, Space charge effects on, 734
3-Pentanone ion, Formation of, from ionized propyl propanoate through ion-neutral complexes, 183
Pentaquadrupole mass spectrometer, MS^3 capabilities of, a case study in the use of: Ion-molecule reactions and collision-activated dissociation of $C_4H_4^{+\cdot}$ isomers, 518
Peptides, mass spectrometry and tandem mass spectrometry analysis of, Optimization of capillary zone electrophoresis/electrospray ionization parameters for, 289
Peptides, MH^+ ions of, high energy collision-induced decomposition of, Comparison of helium and argon as collision gases in, 502
Peptides, protonated, decomposition of, collision-activated, Influence of cysteine to cysteic acid oxidation on: evidence for intraionic interactions, 337
Peptides, protonated, multiply, Surface-induced dissociation of, 859
Peptides, sequencing, Pattern-based algorithm for, from tandem high energy collision-induced dissociation mass spectra, 326
Permethylated gangliosides, Matrix-assisted laser desorption time-of-flight mass spectrometry of, 241

Personal history of the early development of the flowing afterglow technique for ion-molecule reaction studies, A, 479
Pesticides, *N*-methyl carbamate, analysis of, by liquid chromatography mass spectrometry, An evaluation of atmospheric pressure ionization techniques for, 378
PETN, Negative-ion formation in, by using the reversal electron attachment detection technique, 243
Phenoxyacid herbicides, chlorinated, mass spectra of, obtained by particle beam liquid chromatography/mass spectrometry, Evidence for thermal decomposition contributions to, 823
Plasma desorption mass spectrometry-^{252}Cf, background reduction in, A pulsed ion deflection system for, 706
Plasma extracts, crude, Quantitative analysis of, by ion trap tandem mass spectrometry, 372
Plasma-mass spectrometry, inductively coupled, interference effects in, Selection of solvent load and first-stage pressure to reduce, 128 Polar side groups, dipeptides containing, An investigation of, by Curie-point pyrolysis tandem mass spectrometry, 750
Polyaromatic hydrocarbon–deoxynucleoside adducts, Identification of, by capillary zone electrophoresis–continuous flow-fast atom bombardment mass spectrometry, 757
Polyglycines, Proton affinities of, assessed by using the kinetic method, 863
Polyglycols, lithium-attachment ions from, Tandem mass spectrometry of, 225
Polymerization of ethylene catalyzed by Ti^+ in the gas phase, Evidence for, 464
Porphyrins, double charged, Unimolecular and collision-induced reactions of, 235
Positive and negative ion fast-atom bombardment high-resolution mass spectrometry, reference compound for, Ultramark 1621 as, 842
Potassium halide adducts as reagent ions in infrared laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 301
Principles of collisional activation in analytical mass spectrometry, 599
Probing trapped ion energies via ion-molecule reaction kinetics: Fourier transform ion cyclotron resonance mass spectrometry, 727
Probing trapped ion energies via ion-molecule reaction kinetics: quadrupole ion trap mass spectrometry, 716
Propyl propanoate, ionized, Formation of the 3-pentanone ion from, through ion-neutral complexes, 183
Proteins, electrospray mass spectra of, Are they related to their aqueous solution chemistry?, 216
Proton affinities of polyglycines assessed by using the kinetic method, 863
Proton transfer reactions, Gas-phase, involving multiply charged cytochrome *c* ions and water under thermal conditions, 624
Protonated and methylated lactones, gas-phase, dissociation behavior of, Characterization of the, 47
Protonated aromatic carbonyl compounds, Remote fragmentations of, via internal reactions in intermediary ion-neutral complexes, 417
Protonated peptides, decomposition of, collision-activated, Influence of cysteine to cysteic acid oxidation on: evidence for intraionic interactions, 337
Protonated peptides, multiply, Surface-induced dissociation of, 859
Pulsed bombardment ionization method, model, a study of time-dependent desorption using: Improved detection limits for fast atom bombardment mass spectrometry, 637
Pulsed ion deflection system for background reduction in ^{252}Cf-plasma desorption mass spectrometry, A, 706
Purge-and-trap gas chromatography/mass spectrometry, measuring volatile organic compounds in human blood by, interferences in, removing of, Importance of enhanced mass resolution in, 831

Quadrupole, radiofrequency, Collisional focusing effects in, 398
Quadrupole-acceleration-deceleration mass spectrometer, tandem, Novel, for neutralization-reionization studies, 493
Quadrupole-based mass spectrometric evaluation of isotope ratios of carbon dioxide in expired air from mice and men following the administration of ^{13}-C-methyl methionine, The, 742
Quadrupole cells, Reactive collisions in. 2. H/D exchange reactions of emolate ions with CH_3OD and C_2H_5OD, 853
Quadrupole ion trap, ion isolation in, Evidence of isomerization during, 680
Quadrupole ion trap, Methylene substitution reactions in, selectivity of ethylene, ethylene oxide, and dimethyl ether reactive ions, 39
Quadrupole ion trap mass spectrometer, Isomerization of linear $C_3H_3^+$ in its reaction with acetylene, and collisional stabilization of the $[C_5H_5^+]^*$ collision complex in, 631
Quadrupole ion trap mass spectrometry: Probing trapped ion energies via ion-molecule reaction kinetics, 716
Quantitative analysis of crude plasma extracts by ion trap tandem mass spectrometry, 372

Radiofrequency quadrupoles, Collisional focusing effects in, 398
Radiofrequency-only-mode event: High pressure trapping in Fourier transform mass spectrometry, 590
Rat hepatocytes, ethanol-treated, Novel 3-hydroxylated leukotriene B_4 metabolites from, 762
RDX, Negative-ion formation in, by using the reversal electron attachment detection technique, 243
Reaction of analyte ions with neutral chemical ionization gas, 549
Reactions of strong bases with vinyl fluoride formation and characterization of 1-fluorovinyl anion and the fluoride-acetylene hydrogen-bonded complex, 91
Reactive collisions in quadrupole cells. 2. H/D exchange reactions of emolate ions with CH_3OD and C_2H_5OD, 853
Reagent ions, in infrared laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, Potassium halide adducts as, 301
Reference compound for positive and negative ion fast-atom bombardment high-resolution mass spectrometry, Ultramark 1621 as, 842
Reionization-neutralization mass spectrometry, Organic neutralization agents for, 108
Reionization-neutralization studies, Novel tandem quadrupole-acceleration-deceleration mass spectrometer for, 493
Relative ion yields for glow discharge mass spectrometry, Theoretical calculations of, 79
Relative peak heights in Fourier transform-ion cyclotron resonance spectra, Space charge effects on, 734
Remote fragmentations of protonated aromatic carbonyl compounds via internal reactions in intermediary ion-neutral complexes, 417
Resin, Egyptian mummy, Analysis of, by mass spectrometry, 582
Reversal electron attachment detection technique, Negative-

ion formation in the explosives RDX, PETN, and TNT by using, 243
RF/DC isolations, Alternating, for quantitation with coeluting internal standards in gas chromatography/ion trap mass spectrometry, 85

S_n(ANRORC) reaction, ionic products from, structure of, investigation into: Isomer differentiation by charge inversion tandem mass spectrometry, 467
Selection of solvent load and first-stage pressure to reduce interference effects in inductively coupled plasma-mass spectrometry, 128
Sequence ions, compound specific, in the collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides, identification of: Electron-ionization-tandem mass spectrometry of glycosphingolipids, 353
Shock wave model for sputtering biomolecules using massive cluster impacts, 311
Solvent load to reduce interference effects in inductively coupled plasma-mass spectrometry, Selection of, 128
Space charge effects on relative peak heights in Fourier transform-ion cyclotron resonance spectra, 734
Spectral deconvolution for overlapping GC/MS components, 558
Sputtering, biomolecules, Shock wave model for, using massive cluster impacts, 311
Structure determination of ceramides and neutral glycosphingolipids by collisional activation of $[M + Li]^+$ ions, 260
Substructure identification rules, automatically generated, Evaluation of, from tandem mass spectra, 169
Substructure identification rules, Generation of, using feature-combinations from tandem mass spectra, 159
Sulfate position, in glycosaminoglycan-derived disaccharides, Negative fast-atom bombardment tandem mass spectrometry to determine, 797
Sulfonamide determination: Nanoscale separations combined with electrospray ionization mass spectrometry, 139
Surface-induced dissociation of multiply protonated peptides, 859
Surface-induced dissociation in tandem quadrupole mass spectrometers: a comparison of three designs, 27
Surfactants, nonionic, Collision-induced dissociation mass spectrometry of, following direct supercritical fluid injection, 150

Tailing signal on the low energy side of the main beam in mass-analyzed ion kinetic energy spectra, Origin of, 644
Tandem mass spectra, feature-combinations from, Generation of substructure identification rules using, 159
Tandem mass spectra, high energy collision-induced dissociation, peptide sequencing from, Pattern-based algorithm for, 326
Tandem mass spectra, substructure identification rules from, automatically generated, Evaluation of, 169
Tandem mass spectrometer, quadrupole-acceleration-deceleration, Novel, for neutralization-reionization studies, 493
Tandem mass spectrometer, quadrupole, Surface-induced dissociation in: a comparison of three designs, 27
Tandem mass spectrometer, for the study of molecular dissociations, A new, 487
Tandem mass spectrometry, analysis of peptides, Optimization of capillary zone electrophoresis/electrospray parameters for, 289
Tandem mass spectrometry, charge inversion, Isomer differentiation by: an investigation into the structure of the ionic products from an S_n(ANRORC) reaction, 467
Tandem mass spectrometry, Curie-point pyrolysis, An investigation of dipeptides containing polar and nonpolar side groups by, 750
Tandem mass spectrometry-Electron ionization, of glycosphingolipids. I: the identification of compound- specific sequence ions in the collision-induced dissociation spectra of the immonium ions of two isomeric hexaglycosylceramides, 353
Tandem mass spectrometry, fast atom bombardment, Negative ion, to determine sulfate and linkage position in glycosaminoglycan-derived disaccharides, 797
Tandem mass spectrometry, ion trap, Quantitative analysis of crude plasma extracts by, 372
Tandem mass spectrometry, of lithium-attachment ions from polyglycols, 225
Tandem mass spectrometry, of small, multiply charged oligonucleotides, 60
Taxol, mass spectrometry of, 672
Terrestrial molybdenites, isotope ratios of molybdenum in, measurement of, High accuracy, 10
Theoretical calculations of relative ion yields for glow discharge mass spectrometry, 79
Thermal conditions, Gas-phase proton transfer reactions involving multiply charged cytochrome *c* ions and water under, 624
Thermal decomposition contributions to the mass spectra of chlorinated phenoxyacid herbicides obtained by particle beam liquid chromatography/mass spectrometry, Evidence for, 823
Ti^+, polymerization of ethylene catalyzed by, in the gas phase, Evidence for, 464
Time-dependent desorption, a study of, using a model pulsed bombardment ionization method: Improved detection limits for fast atom bombardment mass spectrometry, 637
Time-of-flight mass spectrometry, Matrix-assisted laser desorption ionization, of underivatized and permethylated gangliosides, 785
TNT, Negative-ion formation in, by using the reversal electron attachment detection technique, 243
Transition-metal ions, gas-phase ion-molecule complexes of, Formation and fragmentation of, with organic molecules containing two functional groups, 451
Trapping and detection of ions generated in a high magnetic field electrospray ionization Fourier transform ion cyclotron resonance mass spectrometer, 615
Triphenylphosphonium-aminoethyl derivatives of fatty acids, FAB-CAD-B/E linked scan mass spectrometry of, Charge-remote fragmentation during, 769

Ultramark 1621 as a reference compound for positive and negative ion fast-atom bombardment high-resolution mass spectrometry, 842
Unimolecular and collision-induced reactions of double charged porphyrins, 235

Vinyl fluoride formation, Reactions with strong bases, and characterization of 1-fluorovinyl anion and the fluoride-acetate hydrogen-bonded complex, 91
Volatile organic compounds, in human blood, measuring, by using purge-and-trap gas chromatography/mass spectrometry, interferences, removing of, Importance of enhanced mass resolution in, 831

Water, Gas-phase proton transfer reactions involving, under thermal conditions, 624